



03500.017715

*Cafe*  
PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent of:

KIMIHIRO YOSHIMURA ET AL.

Appln. No.: 10/714,948

Filed: November 18, 2003

For: ELECTROPHOTOGRAPHIC  
PHOTOSENSITIVE MEMBER,  
ELECTROPHOTOGRAPHIC  
APPARATUS, AND PROCESS  
CARTRIDGE

U.S. Patent No.: 6,998,210 B2

Issued: February 14, 2006

) : Examiner: Janis L. Dote

) : Art Unit: 1756

) :

) :

) :

) :

) :

) :

) June 2, 2006

**Certificate**

JUN 3 0 2006

**of Correction**

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

LETTER CALLING ATTENTION TO ERRORS IN PATENT

Sir:

The following minor errors have been noted in the above-mentioned patent:

ON COVER PAGE AT (56) U.S. PATENT DOCUMENTS

“6,492,081 B1” should read --6,492,081 B2--.

COLUMN 2

Line 41, “occur” should read --occurs--.

COLUMN 4

Line 67, “hydroxym-” should read --hydroxy--.

COLUMN 5

Line 1, "ethyl" should read --methyl--.

COLUMN 33

Line 28, "dissolve" should read --dissolves--.

COLUMN 35

Line 22, "amorphous." should read --amorphous--.

COLUMN 43

Line 28, "Examples 20" should read --Example 20--.

COLUMN 45

Table 3, "on" should be deleted.

COLUMN 46

Table 3, "on" should be deleted.

These errors appear to be relatively insignificant and, therefore, we do not believe it is necessary to request a Certificate of Correction. However, it is requested that this paper be placed in the filewrapper of the above-identified patent.

Patentees' undersigned attorney may be reached in our New York office by telephone at (212) 218-2100. All correspondence should continue to be directed to our address given below.

Respectfully submitted,

  
\_\_\_\_\_  
Peter Saxon  
Attorney for Patentees  
Registration No. 24,947

FITZPATRICK, CELLA, HARPER & SCINTO  
30 Rockefeller Plaza  
New York, New York 10112-3801  
Facsimile: (212) 218-2200

572841v1